To: Nelson, Leverett[nelson.leverett@epa.gov]; Snemis, Donald (IDEM)[DSnemis@idem.IN.gov] Cc: Tachtiris, Valerie[VTachtir@idem.IN.gov]; Lang, Annette (ENRD)[Annette.Lang@usdoj.gov]; Chingcuanco, Leonardo[Chingcuanco.Leonardo@epa.gov]; Toney, Marcy[toney.marcy@epa.gov]

From: Kaiser, Steven

Sent: Tue 1/3/2017 3:55:03 PM **Subject:** RE: Departure from IDEM

Don:

I enjoyed working with you and appreciate your consistent efforts to think outside of the box and find practical solutions to the problems posed by the circumstances in East Chicago. Thanks for helping us find money to cover the incidental moving expenses and blood lead level testing! I hope our paths will cross again somewhere further down the road.

Sincerely,

Steven P. Kaiser Office of Regional Counsel United States Environmental Protection Agency 77 West Jackson Boulevard Chicago, Illinois 60604 (312) 353 - 3804

From: Nelson, Leverett

Sent: Tuesday, January 03, 2017 8:42 AM

To: Snemis, Donald (IDEM) < DSnemis@idem.IN.gov>

Cc: Kaiser, Steven kaiser.steven@epa.gov; Tachtiris, Valerie <VTachtir@idem.IN.gov

Subject: RE: Departure from IDEM

Don-

Sorry to hear you're moving on. I too look forward to working with you in the future.

-Rett

From: Snemis, Donald (IDEM) [mailto:DSnemis@idem.IN.gov]

Sent: Tuesday, January 03, 2017 8:28 AM

To: Nelson, Leverett < nelson.leverett@epa.gov >

Cc: Kaiser, Steven < kaiser.steven@epa.gov >; Tachtiris, Valerie < VTachtir@idem.IN.gov >

Subject: Departure from IDEM

Rett and Steve:

My last day at IDEM will be this Friday, January 6. I will be returning to private practice. I do not yet know who my replacement will be, but in the meantime, feel free to contact my Deputy GC, Valerie Tachtiris, at 317-234-8884.

It has been a pleasure working with you. Thanks for everything. I hope to work with you again in the future.



Donald M. Snemis

Deputy Chief of Staff and General Counsel Indiana Department of Environmental Management 100 N. Senate Avenue, Room #1307 Indianapolis, Indiana 46204 Ph. (317) 234-9581